

Wall Top Fence / Perimeter Fence - NEMTEK- SOUTH AFRICA

Intrusion Detection Fence - AP SENSING- GERMANY

Wall Top Electric Fence: We have High-end Equipment Fencing For Wall Top Electrical & Non Electric Fence to Deter the Trespassing / Intrusion / Robbers from climbing the Walls With Advanced Alarm-Siren (with no false alarms)/ Lighting The Perimeters / With Tension Sensor Technology. Solar & Non Solar Equipments (Suitable Energizers Used).

We have done HOTWIRE systems for Animal Areas at Dubai Safari Park & Sharjah Safari Park



Sensor Activated Lighting



Tension Sensors



Dual Pole Light Post

Tension Sensors



Contact:
Email: sales@powerzoneME.com
Ph: +97126410209
Mobile: +971543453322



Authorised Distributors & Installers For NEMTEK & AP SENSING Products In Middle East Region.

QUICK REFERENCE CATALOGUE



ELECTRIC FENCING PRODUCTS THAT DELIVER PEACE OF MIND

Authorized Distributor and Installer



INTRODUCTION

Nemtek is a leading supplier of innovative electric fencing products both locally and abroad. Nemtek's electric fencing solutions are regarded as the product of choice by governments, local authorities and industries in protecting their utilities, correctional facilities and defence infrastructures.

With over 25 years of experience in designing electric fencing products and technologies, Nemtek has the in-house knowledge and expertise to manufacture and supply the full spectrum of energizers and fencing hardware for applications in residential, commercial and industrial security fencing.

Residential



Nemtek's extensive range of quality security electric fencing products work to ensure the safety of you and your home. Our robust fences act as a deterrent to criminals and provide advanced warning should the fence be tampered with or compromised in any way. The range offers solutions for all types of residential applications, with a wide range of styles to choose from for an aesthetically pleasing design.

Commercial



Nemtek offers a wide range of security solutions for commercial applications and secure perimeter protection combined with aesthetically pleasing designs that do not compromise on the performance of the electric fence. These solutions are effective in securing outdoor showrooms and displays, office parks, and retail complexes vulnerable to attack by criminals.

Industrial



The need for protection of large-scale industrial areas is met by Nemtek's range of full-height fencing solutions. Whether applied as a standalone solution or added to existing fencing, Nemtek's fences offer safety and security to any industrial site. Furthermore, our versatile modular design of energizers makes catering for multiple fence zones practically feasible.

Utilities



From protecting critical infrastructure to preventing harm to individuals by stopping them from gaining access to sensitive or dangerous areas, Nemtek's range of hardware, software and energizer design will ensure that a reliable security solution is available for any utility's requirement.

High security



High-security sites such as prisons, airports, embassies and money-distribution points tend to need that little bit extra when it comes to security products. This is when Nemtek's global experience in securing such sites becomes a critical factor. Nemtek's range of products allows for seamless integration with other security technologies and can also provide remote access and monitoring.

ENERGIZERS

- residential
- commercial
- industrial
- utilities
- high security

Nemtek's range of electric fencing energizers are suitable for a variety of applications, for both home and commercial security. Robustly manufactured from top quality materials, Nemtek's energizers cater to your specific electric fencing needs.

SINGLE ZONE

WIZORD 2i (E-WIZ2I)
WIZORD 4i (E-WIZ4I)

SINGLE ZONE

2J OUTPUT (2i)
3.7J OUTPUT (4i)

MERLIN 4i (E-MER4I)
WITH KEYPAD (EE-MKP)

SINGLE ZONE

3.7J OUTPUT

MERLIN STEALTH M15S (E-M15S/V1)
MERLIN STEALTH M18S (E-M18S/V1)
MERLIN STEALTH SINGLE-ZONE KEYPAD (EE-M1Z2GK)

SINGLE ZONE

4.8J OUTPUT (M15S)
7.6J OUTPUT (M18S)

SINGLE ZONE WITH LCD DISPLAY

DRUID 13LCD (E-DRUID/13/LCD)
DRUID 15LCD (E-DRUID/15/LCD)
DRUID SINGLE-ZONE KEYPAD (EE-DR.LCD/KP)

SINGLE ZONE

3J OUTPUT (13LCD)
4.6J OUTPUT (15LCD)

APT

DRUID 18LCD (E-DRUID/18/LCD)
DRUID 114LCD (E-DRUID/114/LCD)
DRUID SINGLE-ZONE KEYPAD (EE-DR.LCD/KP)

SINGLE ZONE

7.6J OUTPUT (18LCD)
13.8J OUTPUT (114LCD)

APT

TWO ZONE

MERLIN STEALTH M28S-X (E-M28S/V1)
MERLIN STEALTH TWO-ZONE KEYPAD (EE-M2ZKP)

TWO ZONE

7.6J OUTPUT

MERLIN STEALTH M25S (E-M25S/16/V1)
MERLIN STEALTH M28S (E-M28S/16/V1)
MERLIN STEALTH TWO-ZONE KEYPAD (EE-M2ZKP)

TWO ZONE

4.8J OUTPUT (M25S)
7.6J OUTPUT (M28S)

NET-WORK
SYNCHRO-NISE

TWO AND FOUR ZONE WITH LCD DISPLAY

DRUID 25LCD (E-DRUID/25/LCD)
DRUID 28LCD (E-DRUID/28/LCD)

2 & 4 ZONE

2 x 2.4J OUTPUT (25LCD)
2 x 3.7J OUTPUT (28LCD)

APT

ALARM SENSOR MODE

NET-WORK

SYNCHRO-NISE

DRUID TWO-ZONE KEYPAD (EE-DR.LCD/KP/2Z)

DRUID FOUR-ZONE KEYPAD (EE-DR.LCD/KP/4Z)

DRUID TWO ZONE ENERGIZER ACCESSORIES



DRUID RELAY EXPANSION CARD
(EE-LCD2X/REL)



DRUID SYNCHRONISATION MODULE
(EE-LCD2X/GPSYNC)



TAG
(EE-WIZ4/MAGNET)



FG7C DRUID CONTROLLER PANEL MOUNT
(E-FG7C/DRUID/PM)



FG7C DRUID CONTROLLER WALL MOUNT
(E-FG7C/DRUID/WM)

MULTI-ZONE SYSTEMS



NEMTEK DRUID FENCE PROBE SOFTWARE (E-NDFP01)

- 64 ZONE
- 31 NETWORK I/O CARDS
- PC CONTROL
- REMOTE ACCESS

POWER SUPPLY PACK AND FENCE TESTER



POWER PACK 2AMP
(PP-2.0AMP)



FENCE SCOPE MULTI-TOOL AND POUCH
(TL-FS), (TL-FSTP)

COMMUNICATION CARDS



SINGLE-MODE FIBRE CONVERTOR
(EE-FC/SM/SC), (EE-FC/SM/ST)



MULTI-MODE FIBRE CONVERTOR
(EE-FC/MM/ST)



FG7C - RS485 INTERNAL CARD + TW
(EE-FG7C/485/TW)



FG7C - NEMLINK INTERNAL CARD + TW
(EE-FG7C/NLE/TW)



ETHERNET TO SINGLE-MODE FIBRE CONVERTOR
(EE-MSF-OP/SM/ET)



DRUID NETWORK CARD 8+1 (NEMLINK)
(EE-FGIO8/NL)



DRUID NETWORK IO CARD 8+1
(EE-FGIO8/485)




DRUID NEMLINK CARD - ENERGIZER
(EE-LCD2X/NLE)

















DRUID RS485 CARD
(EE-D/485/1)

TENSION SENSOR SYSTEM

							
TENSION SENSOR CONTROLLER FG7 WALL & PANEL MOUNT	TENSION SENSOR [E-TWS1]	TENSION SENSOR DUMMY [E-TWS2]	MYLAR SCREEN 3-CORE CABLE [CB-TWC/200]	TENSION SENSOR NODE 1 AND 2 CONTROLLERS [E-TW/NODE1], [E-TW/NODE2]	3-WIRE WALL-MOUNT SENSOR BRACKET [E-TW/3WS]		
							
3-WIRE WALL-MOUNT CORNER BRACKET [E-TW/3WC]	3-WIRE WALL-MOUNT PIGTAIL BRACKET [E-TW/3WP]	3-WIRE WALL-MOUNT 45* BRACKET [E-TW/3WP45]	1-WIRE WALL-MOUNT SENSOR BRACKET [E-TW/SWS]	1-WIRE WALL-MOUNT PIGTAIL BRACKET [E-TW/1WP]	1-WIRE WALL-MOUNT 45* BRACKET [E-TW/1WP45]	1-WIRE SIDE-MOUNT SENSOR BRACKET [E-TW/1WSM/S]	1-WIRE SIDE-MOUNT PIGTAIL BRACKET [E-TW/1WSM/P]


WALL-TOP BRACKETS [Available in 5, 6, 8, 10 and 12 wire. White, black and HDG]

						
ROUND BAR	SQUARE TUBE STRAIGHT AND ANGLED	SQUARE TUBE JURASSIC BRACKET STRAIGHT AND ANGLED	SQUARE TUBE JURASSIC TOP BEND	FLAT BAR T-POLE	PROFILE POLE	SQUARE TUBE T-POLE
						
FLAT BAR STRAIGHT AND ANGLED	SQUARE TUBE TOP BEND	SQUARE TUBE JURASSIC TOP BEND	SQUARE TUBE JURASSIC TOP BEND	SQUARE TUBE T-POLE	PIN BRACKET SHIELD INSULATOR	PIN BRACKET SHIELD INSULATOR

WALL-TOP BRACKET ACCESSORIES

				
STAY AND LUG 600mm black (EST/L/B), 600mm white (EST/L/W), 750mm black (EST/L/BL), 750mm white (EST/L/WL), 600mm HDG (EST/L/HD), 750mm HDG (EST/L/HDL)	STAY HEAVY DUTY 1m black (ESTBLI0), 1m white (ESTWLI0), 1m HDG (ESTHDLI0)	STAY SLEEVE 600mm black (ESTSSB), 600mm white (ESTSSW), 750mm black (ESTSLB), 750mm white (ESTSLW), 1m black (ESTSLBLI0), 1m white (ESTSLWLI0)	LUGS 6x35 (EA-L635), 6x35 HDG (EA-L635/HDG), 6x70 (EA-L670)	ROUND BAR STAY CLAMP [EA-RAT]
				
NAIL-IN ANCHORS 6x40mm [EA-640], 6x60mm [EA-660], 8x80mm [EA-880]	HAMMER DRIVE ANCHORS 6x50mm [EA-HDP650], 6x65mm [EA-HDP665]	COACH SCREW AND PLUG 8x75mm [EA-CSSET/HD]	TEK SCREWS SELF DRILLING [EA-TEK12X25], [EA-TEK12X25/HDG], [EA-TEK12X38], [EA-TEK12X38/HDG], [EA-TEK12X65], [EA-TEK12X65/HDG], [EA-TEK14X75/DM], [EA-TEK14X102/DM], [EA-TEK14X142/DM]	

HOW A NEMTEK WALL TOP ELECTRIC FENCE WORKS



FREE-STANDING SYSTEM



NEMTEK PICKET INTERMEDIATE POSTS

1.5m Bitumen (EY-Y15NB),
1.5m HDG (EY-Y15NHD),
2.4m Bitumen (EY-Y24NB),
2.4m HDG (EY-Y24NHD),
3.0m Bitumen (EY-Y30NB),
3.0m HDG (EY-Y30NHD)



ROUND-CORNER STRAINING POSTS

1.5mx76mm HDG (EY-CPR7620HD15),
2.4mx76mm HDG (EY-CPR7620HD24),
3.0mx76mm HDG (EY-CPR7620HD30),
2.4mx95mm HDG (EY-CPR9520HD24),
3.0mx95mm HDG (EY-CPR9520HD30)



STAYS

1.5mx38mm HDG (EY-CSR3815HD),
2.4mx38mm HDG (EY-CSR3824HD),
2.4mx50mm HDG (EY-CSR5024HD),
3mx50mm HDG (EY-CSR5030HD)



HOT-DIP GALVANISED NUT (EA-SCRM10NUTSHD) AND BOLT (EA-SCRM10X120-H)



PICKET INSULATOR (EI-PI)



HYBRID BB HEAVY DUTY NYLON TENSIONER (ES-CTNTBB)



S-HOOK (ES-HK/EP)



HEAVY DUTY COMPRESSION SPRING (ES-CNT3)



STRAIN INSULATOR HARDENED ULTRA (EI-STB/R/H)



THROUGH HOLE S-HOOK (ES-HK/THR/HDG)



U-HOOK (ES-HK/UH304)

OMEGA BRACKETS AND ACCESSORIES



PRE-GALVANISED INTERMEDIATE BRACKET

0.9m [EY-PR275/0900/1], 1.2m [EY-PR275/1200/1], 1.5m [EY-PR275/1500/1], 1.8m [EY-PR275/1800/1], 2.1m [EY-PR275/2100/1], 2.4m [EY-PR275/2400/1], 3.0m [EY-PR275/3000/1]

HOT-DIP GALVANISED INTERMEDIATE BRACKET

0.9m [EY-PRHDIP0900/1], 1.2m [EY-PRHDIP1200/1], 1.5m [EY-PRHDIP1500/1], 1.8m [EY-PRHDIP1800/1], 2.1m [EY-PRHDIP2100/1], 2.4m [EY-PRHDIP2400/1], 3.0m [EY-PRHDIP3000/1]

HOT-DIP GALVANISED CORNER BRACKET

1.8m [EY-PRHDIP1800/2], 2.1m [EY-PRHDIP2100/2], 2.4m [EY-PRHDIP2400/2], 3.0m [EY-PRHDIP3000/2]



OMEGA PULL-THROUGH ASSEMBLY (EI-BTL2), (ES-HK/EP/PTH)



OMEGA INSULATOR (EI-OB)



HYBRID BB HEAVY DUTY NYLON TENSIONER (ES-CTNTBB)



OMEGA WELDED BRACKETS (EY-OS/WS075AU), (EY-OS/WS112AU), (EY-OS/WS180AU)



180-DEGREE S-HOOK (ES-HK/EP/DS)



90-DEGREE S-HOOK (ES-HK/EP/90DEG)



S-HOOK (ES-HK/EP)



OMEGA SPACER (EY-O/SWT)



HEAVY DUTY COMPRESSION SPRING (ES-CNT3)



HEAVY DUTY COMPRESSION SPRING HYBRID (ES-CNT3HB)

MODULUS SYSTEM

MODULUS TWO-WAY BRACKET
 460mm (EMOD-460C), 560mm (EMOD-560C),
 960mm (EMOD-960C), 1 160mm (EMOD-1160C),
 1 960mm (EMOD-1960C), 2 360mm (EMOD-2360C),
 2 660mm (EMOD-2660C)

MODULUS THREE-WAY BRACKET
 460mm (EMOD-3WS460C), 560mm (EMOD-3WS560C),
 960mm (EMOD-3WS960C), 1 160mm (EMOD-3WS1160C),
 1 960mm (EMOD-3WS1960C), 2 360mm (EMOD-3WS2360C),
 2 660mm (EMOD-3WS2660C)

MODULUS END CAP 19X19
 (EMOD-BENDCAP)

MODULUS END CAP 26X19
 (EMOD-BENDCAP 3)

MODULUS SLIDE INSULATOR
 (EMOD-BSLD)

MODULUS SPACER
 (EMOD-BSPR)

MODULUS MOUNTING BRACKET
 (EMOD-BRKT)

MODULUS HOOK
 (ES-HK/MOD)

MODULUS BASE
 (EMOD-BB)

PLASTIC INSULATORS

 ROUND BAR INSULATOR (EI-BRBB), (EI-BRBW)	 FLAT BAR INSULATOR (EI-BFBB), (EI-BFBW)	 NAIL-ON INSULATOR (EI-NOB), (EI-NOW)	 Y-STANDARD INSULATOR (EI-YB), (EI-YW)	 OMEGA INSULATOR (EI-OB), (EI-OB/C)	 OMEGA PULL-THROUGH INSULATOR (EI-BTL2)	 POP-THROUGH HOLE INSULATOR (EI-POPEM\BULT), (EI-POPEM\WULT)
 STRAIN INSULATOR JUMBO (EI-STB/J), (EI-STW/J)	 STRAIN INSULATOR ULTRA (EI-STB/R), (EI-STW/R)	 STRAIN INSULATOR HARDENED ULTRA (EI-STB/R/H)	 PICKET INSULATOR (EI-PI)	 JURASSIC INSULATOR SLOTTED (EI-JIB6.20/S), (EI-JIW6.20/S)	PORCELAIN INSULATORS	
 JURASSIC INSULATOR THREAD THROUGH (EI-JIB6.20), (EI-JIW6.20)	 SHIELD INSULATOR (EI-SI)	 TENSION BOBBIN INSULATOR (EI-BTL)	 BUSBAR INSULATOR (EI-SBI)	 SELF TAPPER HOOK (EA-JSTH), (EA-JSTH/L)	 BOBBIN PORCELAIN (EI-BPFL), (EI-BPFL10)	 STRAINER PORCELAIN (EI-STFP10)

FENCE WIRES

GALVANISED STRANDED

1.2mmx680m [EW-T12/BB], 1.2mmx2 292m [EW-T12],
1.6mmx1 560m [EW-T16], 2mmx1 000m [EW-T20]

GALVANISED SOLID

2mmx2 069m HDG [EW-G2.00HG],
2.24mmx1 650m [EW-G2.24], 2.4mmx1 650 HDG [EW-G2.24HG]

STAINLESS STEEL 304 STRANDED

1.2mmx800m [EW-TSS304/8],
1.2mmx1 600m [EW-TSS304/16]

STAINLESS STEEL 304 SOLID

1mmx1 985m [EW-SS1/304], 1.2mmx1 375m [EW-SS12/304]

STAINLESS STEEL 316 STRANDED

1.2mmx800m [EW-TSS316]

STAINLESS STEEL 316 SOLID

1mmx1 985m [EW-TSS316], 1.2mmx1 375m [EW-SS1/316],
1.2mmx770m [EW-SS12/316/77], 1.6mmx770m [EW-SS1.6/316],
2mmx495m [EW-SS20/316]

ALUMINIUM ALLOY STRANDED

1.6mmx1 000m [EW-AL16/S], 2mmx1 000m [EW-AL20/S]

ALUMINIUM ALLOY SOLID

1.6mmx1 000m [EW-AL16], 2mmx1 000m [EW-AL20],
2mmx1 500m [EW-AL20/1500],
2.5mmx1 200m [EW-AL25/1200]

HIGH-VOLTAGE CABLES



SINGLE CORE (S-SERIES)

30m black [EH-BS030S], 100m black [EH-BS100S],
200m black [EH-BS200S], 500m black [EH-BS500S],
1 000m black [EH-BS1000S], 30m white [EH-WS030S],
100m white [EH-WS100S], 200m white [EH-WS200S]



MULTI CORE (S-SERIES)

[EH-3BS030], [EH-3BS100],
[EH-4BS100], [EH-5BS100]



SINGLE-CORE STAINLESS STEEL (SS-SERIES)

100m black [EH-BINOX100S]



UNDERGATE (U-SERIES)

[AH-UC1.6/25], [AH-UC1.6/50],
[AH-UC1.6/100],
[AH-UC2.5/25], [AH-UC2.5/50],
[AH-UC2.5/100],
[AH-UC2.5/200], [AH-UC2.5/500]



ALUMINIUM (A-SERIES)

100m [EH-AS100],
200m [EH-AS200],
500m [EH-AS500],
1 000m [EH-AS1000]

WIRE/CABLE CONNECTORS



LINE-CLAMP BOLT TYPE 6mm AND 8mm

6mm galvanised [EA-LC6],
6mm stainless steel [EA-LC6/SS],
8mm galvanised [EA-LC8/D]



LINE-CLAMP U-TYPE 8mm

[EA-LC8/MG]



ALUMINIUM, TINNED COPPER OR STAINLESS STEEL FERRULE

[EA-F6AFT], [EA-F10AFT],
[EA-F6S], [EA-F10], [EA-F16],
[EA-F6S/SS], [EA-F10S/SS]



BRIDGING WIRES

[EA-BW/1.8x100HD],
[EA-BW/1.8x200HD],
[EA-BW/1.6x100SS],
[EA-BW/1.6x200SS]

WIRE TENSIONERS – PLASTIC



**COMPRESSION
SPRING 1**
[ES-CNT],
[ES-CNTW]



**COMPRESSION
SPRING 2**
[ES-CNT2],
[ES-CNT2W]



**HEAVY DUTY
COMPRESSION
SPRING 3**
[ES-CNT3]



**HYBRID
COMPRESSION
SPRING 1**
[ES-CNTHB]



**HYBRID
COMPRESSION
SPRING 2**
[ES-CNT2HB]



**HYBRID
COMPRESSION
SPRING 3**
[ES-CNT3HB]



**MINI-NYLON
TENSIONER**
[ES-DT/MN]



**COMBO
TENSIONER
HYBRID**
[ES-CTNTBB]

WIRE TENSIONERS – METAL



**STANDARD
TENSIONER**
[ES-DT]



**COMBO TENSIONER
STANDARD**
[ES-CTS]



**COMBO TENSIONER
PORCELAIN**
[ES-CTP]



**WIRE STRAINER
HEAVY DUTY**
[AS-WS/HD]



**WIRE STRAINER
INSULATED
HEAVY DUTY**
[AS-WSI/HD]



**WIRE STRAINER
PORCELAIN
HEAVY DUTY**
[AS-WSP/HD]

TENSIONER AND INSULATOR HOOKS



**MODULUS AND
JURASSIC HOOK**
[ES-HK/MOD]



**LARGE TAIL
HOOK**
[ES-H/LT], [ES-H/LT/2.5]



HOOK BOLT
[ES-HB]



S-HOOK
[ES-HK/EP]



**90-DEGREE
S-HOOK**
[ES-HK/EP/90DEG]



**180-DEGREE
S-HOOK**
[ES-HK/EP/DS]



**THROUGH-
HOLE S-HOOK**
[ES-HK/THR/HDG]



U-HOOK
[ES-HK/UH304]

WIRE DISPENSERS



**LARGE WIRE
DISPENSER**
[EW-JENNY]



**BRAIDED WIRE
REEL HOLDER**
[EW-T/RH]



IN-LINE LOOP
[EY-1LOOP],
[EY-1LOOP/SS]



EARTH LIVE LOOP
[EY-1LOOP/EL]



**WALL-MOUNTED
EARTH LOOP**
[EA-WML/A], [EA-WML/S]



**GROUND ANTI-
CREEP LOOP**
[EY-ANTICREAP]



FENCE ACCESSORIES

EARTH SPIKES



WARNING SIGNS
Nemtek Sign (EA-WRS2/N)
Custom Sign (EA-WRS2/C)



FENCE LIGHT HIGH VISIBILITY
(SR-FL/TL/SS)



FENCE LIGHT
(SR-FL/HVL4)
(SR-FL/HVL4SS)



STROBE LIGHT (SR-STR)
MOUNTING BRACKET (SR-STR/MB)



HOT-DIP GALVANISED
1m LONG (EA-EAG1)
1.2m LONG (EA-EAG12)



DOUBLE POLE LIGHTNING PROTECTION
(EA-LIDII)



SIREN 30 WATT
(SR-30)



SIREN 15 WATT (SR-10)
6 TONE (SR-6T)



COPPER CLAD
1m LONG (EA-EAN)
1.2m LONG (EA-EAN/L)

FENCING TOOLS



COMPACT HEAVY DUTY CUTTER
(TL-MNHW)



DISTANCE MEASURING WHEEL
(TL-DMW)



KNIPEX WIRE CUTTER
(TL-MN)



PROFESSIONAL CRIMPING TOOL
(TL-CRP)



HALF-INCH RATCHET TENSIONER
(TL-RAT1/2)



Y-STANDARD POST DRIVER
(TL-PDY)

SOLAR POWER



SOLAR PANELS
40W (SOL-SYS40W),
90W (SOL-SYS90W),
140W (SOL-SYS140W)



SOLAR REGULATORS
10Amp (SOL-PCS10-24C),
15Amp (SOL-PCS15-24C)



BATTERIES
7AH (BAT-B07), 12AH (BAT-B12),
28AH (BAT-B28), 50AH (BAT-B50),
100AH (BAT-B100)



MOUNTING BRACKETS
(SY-SYZ040R)

ENERGIZER ENCLOSURES



FIBREGLASS ENCLOSURE
(ENC-EMB-A)



FIBREGLASS ENCLOSURE
(ENC-RL6D-P)



FIBREGLASS ENCLOSURE
(ENC-AP3-A)



METAL ENCLOSURE
(ENC-SB/WIZ)



METAL ENCLOSURE
(ENC-SB/STEALTH)



GENERAL PURPOSE ENCLOSURE
(ENC-C51), (ENC-C52),
(ENC-C53), (ENC-C54)



ALUMINIUM BOX
(ENC-ALU/S)



ALUMINIUM BOX
Large (ENC-ALU),
Large shock box (ENC-SHBOX)



ENCLOSURE STAND
(ENC-KDS)



ENCLOSURE STAND U-BRACKET
(ENC-KDS/UBOLT)

GATE SYSTEMS



IN-LINE SLIDING GATE CONTACT
(EA-SGC07), (EA-SGC13)



GATE CONTACT MOUNTING BRACKET
(EA-SGC07ZB/HDG)