

# QUICK REFERENCE CATALOGUE



ELECTRIC FENCING PRODUCTS THAT DELIVER PEACE OF MIND



Authorized Distributor



# INTRODUCTION

Nemtek is a leading supplier of innovative electric fencing products both locally and abroad. Nemtek's electric fencing solutions are regarded as the product of choice by governments, local authorities and industries in protecting their utilities, correctional facilities and defence infrastructures.

With over 25 years of experience in designing electric fencing products and technologies, Nemtek has the in-house knowledge and expertise to manufacture and supply the full spectrum of energizers and fencing hardware for applications in residential, commercial and industrial security fencing.



## Residential

Nemtek's extensive range of quality security electric fencing products work to ensure the safety of you and your home. Our robust fences act as a deterrent to criminals and provide advanced warning should the fence be tampered with or compromised in any way. The range offers solutions for all types of residential applications, with a wide range of styles to choose from for an aesthetically pleasing design.



## Commercial

Nemtek offers a wide range of security solutions for commercial applications and secure perimeter protection combined with aesthetically pleasing designs that do not compromise on the performance of the electric fence. These solutions are effective in securing outdoor showrooms and displays, office parks, and retail complexes vulnerable to attack by criminals.



## Industrial

The need for protection of large-scale industrial areas is met by Nemtek's range of full-height fencing solutions. Whether applied as a standalone solution or added to existing fencing, Nemtek's fences offer safety and security to any industrial site. Furthermore, our versatile modular design of energizers makes catering for multiple fence zones practically feasible.



## Utilities

From protecting critical infrastructure to preventing harm to individuals by stopping them from gaining access to sensitive or dangerous areas, Nemtek's range of hardware, software and energizer design will ensure that a reliable security solution is available for any utility's requirement.



## High security

High-security sites such as prisons, airports, embassies and money-distribution points tend to need that little bit extra when it comes to security products. This is when Nemtek's global experience in securing such sites becomes a critical factor. Nemtek's range of products allows for seamless integration with other security technologies and can also provide remote access and monitoring.

# ENERGIZERS

-  residential
-  commercial
-  industrial
-  utilities
-  high security

Nemtek's range of electric fencing energizers are suitable for a variety of applications, for both home and commercial security. Robustly manufactured from top quality materials, Nemtek's energizers cater to your specific electric fencing needs.

## SINGLE ZONE



**WIZORD 2i** (E-WIZ2I)  
**WIZORD 4i** (E-WIZ4I)

SINGLE ZONE

2J OUTPUT (2i)  
3.7J OUTPUT (4i)



**MERLIN 4i** (E-MER4I)  
**WITH KEYPAD** (EE-MKP)

SINGLE ZONE

3.7J OUTPUT



**MERLIN STEALTH M15S** (E-M15S/V1)  
**MERLIN STEALTH M18S** (E-M18S/V1)  
**MERLIN STEALTH SINGLE-ZONE KEYPAD** (EE-M1Z2GK)

SINGLE ZONE

4.8J OUTPUT (M15S)  
7.6J OUTPUT (M18S)

## SINGLE ZONE WITH LCD DISPLAY



**DRUID 13LCD** (E-DRUID/13/LCD)  
**DRUID 15LCD** (E-DRUID/15/LCD)  
**DRUID SINGLE-ZONE KEYPAD** (EE-DR.LCD/KP)

SINGLE ZONE

3J OUTPUT (13LCD)  
4.6J OUTPUT (15LCD)

APT



**DRUID 18LCD** (E-DRUID/18/LCD)  
**DRUID 114LCD** (E-DRUID/114/LCD)  
**DRUID SINGLE-ZONE KEYPAD** (EE-DR.LCD/KP)

SINGLE ZONE

7.6J OUTPUT (18LCD)  
13.8J OUTPUT (114LCD)

APT

## TWO ZONE



**MERLIN STEALTH M28S-X** (E-M28S/V1)  
**MERLIN STEALTH TWO-ZONE KEYPAD** (EE-M2ZKP)

TWO ZONE

7.6J OUTPUT




**MERLIN STEALTH M25S** (E-M25S/16/V1)  
**MERLIN STEALTH M28S** (E-M28S/16/V1)  
**MERLIN STEALTH TWO-ZONE KEYPAD** (EE-M2ZKP)

TWO ZONE

4.8J OUTPUT (M25S)  
7.6J OUTPUT (M28S)

NET-WORK  
SYNCHRO-NISE

## TWO AND FOUR ZONE WITH LCD DISPLAY



**DRUID 25LCD** (E-DRUID/25/LCD)  
**DRUID 28LCD** (E-DRUID/28/LCD)

2 & 4 ZONE


2 x 2.4J OUTPUT (25LCD)  
2 x 3.7J OUTPUT (28LCD)

APT


ALARM SENSOR MODE

NET-WORK

SYNCHRO-NISE



**DRUID TWO-ZONE KEYPAD** (EE-DR.LCD/KP/2Z)



**DRUID FOUR-ZONE KEYPAD** (EE-DR.LCD/KP/4Z)

## DRUID TWO ZONE ENERGIZER ACCESSORIES



**DRUID RELAY  
EXPANSION CARD**  
(EE-LCD2X/REL)



**DRUID SYNCHRONISATION  
MODULE**  
(EE-LCD2X/GPSYNC)



**TAG**  
(EE-WIZ4/MAGNET)



**FG7C DRUID CONTROLLER  
PANEL MOUNT**  
(E-FG7C/DRUID/PM)



**FG7C DRUID CONTROLLER  
WALL MOUNT**  
(E-FG7C/DRUID/WM)

## MULTI-ZONE SYSTEMS



**NEMTEK DRUID FENCE PROBE  
SOFTWARE** (E-NDFP01)



## POWER SUPPLY PACK AND FENCE TESTER



**POWER PACK  
2AMP**  
(PP-2.0AMP)



**FENCE SCOPE MULTI-TOOL  
AND POUCH**  
(TL-FS), (TL-FSTP)

## COMMUNICATION CARDS



**SINGLE-MODE FIBRE  
CONVERTOR**  
(EE-FC/SM/SC), (EE-FC/SM/ST)



**MULTI-MODE FIBRE  
CONVERTOR**  
(EE-FC/MM/ST)



**FG7C - RS485 INTERNAL  
CARD + TW**  
(EE-FG7C/485/TW)



**FG7C - NEMLINK  
INTERNAL CARD + TW**  
(EE-FG7C/NLE/TW)



**ETHERNET TO  
SINGLE-MODE FIBRE  
CONVERTOR**  
(EE-MSF-OP/SM/ET)



**DRUID NETWORK  
CARD 8+1  
(NEMLINK)**  
(EE-FG108/NL)



**DRUID NETWORK  
IO CARD 8+1**  
(EE-FG108/485)



**DRUID NEMLINK CARD -  
ENERGIZER**  
(EE-LCD2X/NLE)













**DRUID RS485 CARD**  
(EE-D/485/1)

## TENSION SENSOR SYSTEM

|   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |   |   |
| <b>TENSION SENSOR CONTROLLER FG7 WALL &amp; PANEL MOUNT</b>                       | <b>TENSION SENSOR</b><br>[E-TWS1]   | <b>TENSION SENSOR DUMMY</b><br>[E-TWS2]   | <b>MYLAR SCREEN 3-CORE CABLE</b><br>[CB-TWC/200]                                  | <b>TENSION SENSOR NODE 1 AND 2 CONTROLLERS</b><br>[E-TW/NODE1], [E-TW/NODE2]        | <b>3-WIRE WALL-MOUNT SENSOR BRACKET</b><br>[E-TW/3WS]                               |   |   |
|  |  |  |  |    |   |  |  |
| <b>3-WIRE WALL-MOUNT CORNER BRACKET</b><br>[E-TW/3WC]                             | <b>3-WIRE WALL-MOUNT PIGTAIL BRACKET</b><br>[E-TW/3WP]                            | <b>3-WIRE WALL-MOUNT 45* BRACKET</b><br>[E-TW/3WP45]                              | <b>1-WIRE WALL-MOUNT SENSOR BRACKET</b><br>[E-TW/SWS]                             | <b>1-WIRE WALL-MOUNT PIGTAIL BRACKET</b><br>[E-TW/1WP]                              | <b>1-WIRE WALL-MOUNT 45* BRACKET</b><br>[E-TW/1WP45]                                | <b>1-WIRE SIDE-MOUNT SENSOR BRACKET</b><br>[E-TW/1WSM/S]                            | <b>1-WIRE SIDE-MOUNT PIGTAIL BRACKET</b><br>[E-TW/1WSM/P]                           |


## WALL-TOP BRACKETS (Available in 5, 6, 8, 10 and 12 wire. White, black and HDG)

|   |   |   |   |   |
|---|---|---|---|---|
|  |  |  |   |  |
| <b>ROUND BAR</b>  | <b>SQUARE TUBE STRAIGHT AND ANGLED</b>  | <b>SQUARE TUBE JURASSIC BRACKET STRAIGHT AND ANGLED</b>                             | <b>FLAT BAR T-POLE</b>  | <b>PROFILE POLE</b>   |
|  |  |  |  |  |
| <b>FLAT BAR STRAIGHT AND ANGLED</b>   | <b>SQUARE TUBE TOP BEND</b>   | <b>SQUARE TUBE JURASSIC TOP BEND</b>  | <b>SQUARE TUBE T-POLE</b>   | <b>PIN BRACKET SHIELD INSULATOR</b>   |

## WALL-TOP BRACKET ACCESSORIES

|  |   |  |   |   |
|--|---|--|---|---|
|   |  |   |    |  |
| <b>STAY AND LUG</b><br>600mm black (EST/L/B), 600mm white (EST/L/W), 750mm black (EST/L/BL), 750mm white (EST/L/WL), 600mm HDG (EST/L/HD), 750mm HDG (EST/L/HDL) | <b>STAY HEAVY DUTY</b><br>1m black (ESTBLI0), 1m white (ESTWLI0), 1m HDG (ESTHDLI0) | <b>STAY SLEEVE</b><br>600mm black (ESTSSB), 600mm white (ESTSSW), 750mm black (ESTSLB), 750mm white (ESTSLW), 1m black (ESTSLBLI0), 1m white (ESTSLWLI0) | <b>LUGS</b><br>6x35 (EA-L635), 6x35 HDG (EA-L635/HDG), 6x70 (EA-L670)   | <b>ROUND BAR STAY CLAMP</b><br>[EA-RAT]   |
|   |  |   |    |   |
| <b>NAIL-IN ANCHORS</b><br>6x40mm [EA-640], 6x60mm [EA-660], 8x80mm [EA-880]  | <b>HAMMER DRIVE ANCHORS</b><br>6x50mm [EA-HDP650], 6x65mm [EA-HDP665]               | <b>COACH SCREW AND PLUG</b><br>8x75mm [EA-CSSET/HD]  | <b>TEK SCREWS SELF DRILLING</b><br>[EA-TEK12X25], [EA-TEK12X25/HDG], [EA-TEK12X38], [EA-TEK12X38/HDG], [EA-TEK12X65], [EA-TEK12X65/HDG], [EA-TEK14X75/DM], [EA-TEK14X102/DM], [EA-TEK14X142/DM] |   |

## HOW A NEMTEK WALL TOP ELECTRIC FENCE WORKS



## FREE-STANDING SYSTEM



### NEMTEK PICKET INTERMEDIATE POSTS

1.5m Bitumen (EY-Y15NB),  
1.5m HDG (EY-Y15NHD),  
2.4m Bitumen (EY-Y24NB),  
2.4m HDG (EY-Y24NHD),  
3.0m Bitumen (EY-Y30NB),  
3.0m HDG (EY-Y30NHD)



### ROUND-CORNER STRAINING POSTS

1.5mx76mm HDG (EY-CPR7620HD15),  
2.4mx76mm HDG (EY-CPR7620HD24),  
3.0mx76mm HDG (EY-CPR7620HD30),  
2.4mx95mm HDG (EY-CPR9520HD24),  
3.0mx95mm HDG (EY-CPR9520HD30)



### STAYS

1.5mx38mm HDG (EY-CSR3815HD),  
2.4mx38mm HDG (EY-CSR3824HD),  
2.4mx50mm HDG (EY-CSR5024HD),  
3mx50mm HDG (EY-CSR5030HD)



### HOT-DIP GALVANISED NUT (EA-SCRM10NUTSHD) AND BOLT (EA-SCRM10X120-H)



### PICKET INSULATOR (EI-PI)



### HYBRID BB HEAVY DUTY NYLON TENSIONER (ES-CTNTBB)



### S-HOOK (ES-HK/EP)



### HEAVY DUTY COMPRESSION SPRING (ES-CNT3)



### STRAIN INSULATOR HARDENED ULTRA (EI-STB/R/H)



### THROUGH HOLE S-HOOK (ES-HK/THR/HDG)



### U-HOOK (ES-HK/UH304)

## OMEGA BRACKETS AND ACCESSORIES



### PRE-GALVANISED INTERMEDIATE BRACKET

0.9m [EY-PR275/0900/1], 1.2m [EY-PR275/1200/1], 1.5m [EY-PR275/1500/1], 1.8m [EY-PR275/1800/1], 2.1m [EY-PR275/2100/1], 2.4m [EY-PR275/2400/1], 3.0m [EY-PR275/3000/1]

### HOT-DIP GALVANISED INTERMEDIATE BRACKET

0.9m [EY-PRHDIP0900/1], 1.2m [EY-PRHDIP1200/1], 1.5m [EY-PRHDIP1500/1], 1.8m [EY-PRHDIP1800/1], 2.1m [EY-PRHDIP2100/1], 2.4m [EY-PRHDIP2400/1], 3.0m [EY-PRHDIP3000/1]

### HOT-DIP GALVANISED CORNER BRACKET

1.8m [EY-PRHDIP1800/2], 2.1m [EY-PRHDIP2100/2], 2.4m [EY-PRHDIP2400/2], 3.0m [EY-PRHDIP3000/2]



### OMEGA PULL-THROUGH ASSEMBLY (EI-BTL2), (ES-HK/EP/PTH)



### OMEGA INSULATOR (EI-OB)



### HYBRID BB HEAVY DUTY NYLON TENSIONER (ES-CTNTBB)



### OMEGA WELDED BRACKETS (EY-OS/WS075AU), (EY-OS/WS112AU), (EY-OS/WS180AU)



### 180-DEGREE S-HOOK (ES-HK/EP/DS)



### 90-DEGREE S-HOOK (ES-HK/EP/90DEG)



### S-HOOK (ES-HK/EP)



### OMEGA SPACER (EY-O/SWT)



### HEAVY DUTY COMPRESSION SPRING (ES-CNT3)



### HEAVY DUTY COMPRESSION SPRING HYBRID (ES-CNT3HB)

## MODULUS SYSTEM

**MODULUS TWO-WAY BRACKET**  
 460mm (EMOD-460C), 560mm (EMOD-560C),  
 960mm (EMOD-960C), 1 160mm (EMOD-1160C),  
 1 960mm (EMOD-1960C), 2 360mm (EMOD-2360C),  
 2 660mm (EMOD-2660C)

**MODULUS END CAP 19X19**  
 (EMOD-BENDCAP)

**MODULUS SLIDE INSULATOR**  
 (EMOD-BSLD)

**MODULUS MOUNTING BRACKET**  
 (EMOD-BRKT)

**MODULUS THREE-WAY BRACKET**  
 460mm (EMOD-3WS460C), 560mm (EMOD-3WS560C),  
 960mm (EMOD-3WS960C), 1 160mm (EMOD-3WS1160C),  
 1 960mm (EMOD-3WS1960C), 2 360mm (EMOD-3WS2360C),  
 2 660mm (EMOD-3WS2660C)

**MODULUS END CAP 26X19**  
 (EMOD-BENDCAP 3)

**MODULUS SPACER**  
 (EMOD-BSPR)

**MODULUS HOOK**  
 (ES-HK/MOD)

**MODULUS BASE**  
 (EMOD-BB)

## PLASTIC INSULATORS

|   |  |   |  |   |  |  |
|---|--|---|--|---|--|--|
| <br><b>ROUND BAR INSULATOR</b><br>(EI-BRBB), (EI-BRBW)                     | <br><b>FLAT BAR INSULATOR</b><br>(EI-BFBB), (EI-BFBW)       | <br><b>NAIL-ON INSULATOR</b><br>(EI-NOB), (EI-NOW)         | <br><b>Y-STANDARD INSULATOR</b><br>(EI-YB), (EI-YW) | <br><b>OMEGA INSULATOR</b><br>(EI-OB), (EI-OB/C)                        | <br><b>OMEGA PULL-THROUGH INSULATOR</b><br>(EI-BTL2)  | <br><b>POP-THROUGH HOLE INSULATOR</b><br>(EI-POPEM\BULT), (EI-POPEM\WULT) |
| <br><b>STRAIN INSULATOR JUMBO</b><br>(EI-STB/J), (EI-STW/J)                | <br><b>STRAIN INSULATOR ULTRA</b><br>(EI-STB/R), (EI-STW/R) | <br><b>STRAIN INSULATOR HARDENED ULTRA</b><br>(EI-STB/R/H) | <br><b>PICKET INSULATOR</b><br>(EI-PI)              | <br><b>JURASSIC INSULATOR SLOTTED</b><br>(EI-JIB6.20/S), (EI-JIW6.20/S) | <b>PORCELAIN INSULATORS</b>  |  |
| <br><b>JURASSIC INSULATOR THREAD THROUGH</b><br>(EI-JIB6.20), (EI-JIW6.20) | <br><b>SHIELD INSULATOR</b><br>(EI-SI)                      | <br><b>TENSION BOBBIN INSULATOR</b><br>(EI-BTL)            | <br><b>BUSBAR INSULATOR</b><br>(EI-SBI)             | <br><b>SELF TAPPER HOOK</b><br>(EA-JSTH), (EA-JSTH/L)                   | <br><b>BOBBIN PORCELAIN</b><br>(EI-BPFL), (EI-BPFL10) | <br><b>STRAINER PORCELAIN</b><br>(EI-STFP10)                              |



## FENCE WIRES

### GALVANISED STRANDED

1.2mmx680m [EW-T12/BB], 1.2mmx2 292m [EW-T12],  
1.6mmx1 560m [EW-T16], 2mmx1 000m [EW-T20]

### GALVANISED SOLID

2mmx2 069m HDG [EW-G2.00HG],  
2.24mmx1 650m [EW-G2.24], 2.4mmx1 650 HDG [EW-G2.24HG]

### STAINLESS STEEL 304 STRANDED

1.2mmx800m [EW-TSS304/8],  
1.2mmx1 600m [EW-TSS304/16]

### STAINLESS STEEL 304 SOLID

1mmx1 985m [EW-SS1/304], 1.2mmx1 375m [EW-SS12/304]

### STAINLESS STEEL 316 STRANDED

1.2mmx800m [EW-TSS316]

### STAINLESS STEEL 316 SOLID

1mmx1 985m [EW-TSS316], 1.2mmx1 375m [EW-SS1/316],  
1.2mmx770m [EW-SS12/316/7], 1.6mmx770m [EW-SS1.6/316],  
2mmx495m [EW-SS20/316]

### ALUMINIUM ALLOY STRANDED

1.6mmx1 000m [EW-AL16/S], 2mmx1 000m [EW-AL20/S]

### ALUMINIUM ALLOY SOLID

1.6mmx1 000m [EW-AL16], 2mmx1 000m [EW-AL20],  
2mmx1 500m [EW-AL20/1500],  
2.5mmx1 200m [EW-AL25/1200]

## HIGH-VOLTAGE CABLES



### SINGLE CORE (S-SERIES)

30m black [EH-BS030S], 100m black [EH-BS100S],  
200m black [EH-BS200S], 500m black [EH-BS500S],  
1 000m black [EH-BS1000S], 30m white [EH-WS030S],  
100m white [EH-WS100S], 200m white [EH-WS200S]



### MULTI CORE (S-SERIES)

[EH-3BS030], [EH-3BS100],  
[EH-4BS100], [EH-5BS100]



### SINGLE-CORE STAINLESS STEEL (SS-SERIES)

100m black [EH-BINOX100S]



### UNDERGATE (U-SERIES)

[AH-UC1.6/25], [AH-UC1.6/50],  
[AH-UC1.6/100],  
[AH-UC2.5/25], [AH-UC2.5/50],  
[AH-UC2.5/100],  
[AH-UC2.5/200], [AH-UC2.5/500]



### ALUMINIUM (A-SERIES)

100m [EH-AS100],  
200m [EH-AS200],  
500m [EH-AS500],  
1 000m [EH-AS1000]

## WIRE/CABLE CONNECTORS



### LINE-CLAMP BOLT TYPE 6mm AND 8mm

6mm galvanised [EA-LC6],  
6mm stainless steel [EA-LC6/SS],  
8mm galvanised [EA-LC8/D]



### LINE-CLAMP U-TYPE 8mm

[EA-LC8/MG]



### ALUMINIUM, TINNED COPPER OR STAINLESS STEEL FERRULE

[EA-F6AFT], [EA-F10AFT],  
[EA-F6S], [EA-F10], [EA-F16],  
[EA-F6S/SS], [EA-F10S/SS]



### BRIDGING WIRES

[EA-BW/1.8x100HD],  
[EA-BW/1.8x200HD],  
[EA-BW/1.6x100SS],  
[EA-BW/1.6x200SS]

## WIRE TENSIONERS - PLASTIC



**COMPRESSION SPRING 1**  
[ES-CNT],  
[ES-CNTW]



**COMPRESSION SPRING 2**  
[ES-CNT2],  
[ES-CNT2W]



**HEAVY DUTY COMPRESSION SPRING 3**  
[ES-CNT3]



**HYBRID COMPRESSION SPRING 1**  
[ES-CNTHB]



**HYBRID COMPRESSION SPRING 2**  
[ES-CNT2HB]



**HYBRID COMPRESSION SPRING 3**  
[ES-CNT3HB]



**MINI-NYLON TENSIONER**  
[ES-DT/MN]



**COMBO TENSIONER HYBRID**  
[ES-CTNTBB]

## WIRE TENSIONERS - METAL



**STANDARD TENSIONER**  
[ES-DT]



**COMBO TENSIONER STANDARD**  
[ES-CTS]



**COMBO TENSIONER PORCELAIN**  
[ES-CTP]



**WIRE STRAINER HEAVY DUTY**  
[AS-WS/HD]



**WIRE STRAINER INSULATED HEAVY DUTY**  
[AS-WSI/HD]



**WIRE STRAINER PORCELAIN HEAVY DUTY**  
[AS-WSP/HD]

## TENSIONER AND INSULATOR HOOKS



**MODULUS AND JURASSIC HOOK**  
[ES-HK/MOD]



**LARGE TAIL HOOK**  
[ES-H/LT], [ES-H/LT/2.5]



**HOOK BOLT**  
[ES-HB]



**S-HOOK**  
[ES-HK/EP]



**90-DEGREE S-HOOK**  
[ES-HK/EP/90DEG]



**180-DEGREE S-HOOK**  
[ES-HK/EP/DS]



**THROUGH-HOLE S-HOOK**  
[ES-HK/THR/HDG]



**U-HOOK**  
[ES-HK/UH304]

## WIRE DISPENSERS



**LARGE WIRE DISPENSER**  
[EW-JENNY]



**BRAIDED WIRE REEL HOLDER**  
[EW-T/RH]



**IN-LINE LOOP**  
[EY-1LOOP],  
[EY-1LOOP/SS]



**EARTH LIVE LOOP**  
[EY-1LOOP/EL]



**WALL-MOUNTED EARTH LOOP**  
[EA-WML/A], [EA-WML/S]



**GROUND ANTI-CREEP LOOP**  
[EY-ANTICREAP]

## EARTH LOOPS

## FENCE ACCESSORIES

## EARTH SPIKES



### WARNING SIGNS

Nemtek Sign (EA-WRS2/N)  
Custom Sign (EA-WRS2/C)



### FENCE LIGHT HIGH VISIBILITY

(SR-FL/TL/SS)



### FENCE LIGHT

(SR-FL/HVL4)  
(SR-FL/HVL4SS)



### STROBE LIGHT (SR-STR) MOUNTING BRACKET (SR-STR/MB)



### HOT-DIP GALVANISED 1m LONG (EA-EAG1) 1.2m LONG (EA-EAG12)



### DOUBLE POLE LIGHTNING PROTECTION (EA-LIDII)



### SIREN 30 WATT (SR-30)



### SIREN 15 WATT (SR-10) 6 TONE (SR-6T)



### COPPER CLAD 1m LONG (EA-EAN) 1.2m LONG (EA-EAN/L)

## FENCING TOOLS



### COMPACT HEAVY DUTY CUTTER (TL-MNHW)



### DISTANCE MEASURING WHEEL (TL-DMW)



### KNIPEX WIRE CUTTER (TL-MN)



### PROFESSIONAL CRIMPING TOOL (TL-CRP)




### HALF-INCH RATCHET TENSIONER (TL-RAT1/2)



### Y-STANDARD POST DRIVER (TL-PDY)

## SOLAR POWER



### SOLAR PANELS

40W (SOL-SYS40W),  
90W (SOL-SYS90W),  
140W (SOL-SYS140W)



### SOLAR REGULATORS

10Amp (SOL-PCS10-24C),  
15Amp (SOL-PCS15-24C)



### BATTERIES

7AH (BAT-B07), 12AH (BAT-B12),  
28AH (BAT-B28), 50AH (BAT-B50),  
100AH (BAT-B100)



### MOUNTING BRACKETS

(SY-SYZ040R)

## ENERGIZER ENCLOSURES



### FIBREGLASS ENCLOSURE (ENC-EMB-A)



### FIBREGLASS ENCLOSURE (ENC-RL6D-P)



### FIBREGLASS ENCLOSURE (ENC-AP3-A)



### METAL ENCLOSURE (ENC-SB/WIZ)



### METAL ENCLOSURE (ENC-SB/STEALTH)



### GENERAL PURPOSE ENCLOSURE (ENC-C51), (ENC-C52), (ENC-C53), (ENC-C54)



### ALUMINIUM BOX (ENC-ALU/S)



### ALUMINIUM BOX Large (ENC-ALU), Large shock box (ENC-SHBOX)



### ENCLOSURE STAND (ENC-KDS)



### ENCLOSURE STAND U-BRACKET (ENC-KDS/UBOLT)



### IN-LINE SLIDING GATE CONTACT (EA-SGC07), (EA-SGC13)



### GATE CONTACT MOUNTING BRACKET (EA-SGC07ZB/HDG)

## GATE SYSTEMS



Authorized Distributors



## CONTACT DETAILS

Power Zone Electrical Equipment Trading LLC.  
Abu Dhabi - United Arab Emirates  
Ph: +97126410209  
Mobile: +97154 345 3322  
Email: sales@pzeet.com

[www.nemtek.com](http://www.nemtek.com)



Scan this QR code  
to see all our  
product brochures